

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
675	Cape Lookout Slough East Lighted Whistle Buoy E						Remove from list.
							* 37/04
700	Cape Lookout Slough West Lighted Whistle Buoy W						Remove from list.
							* 37/04
1495	Hen and Chickens Shoal Lighted Buoy 3HC	38 44 46 N 75 01 24 W	FI G 4s		5	Green.	
					*		37/04
Delaware Bay							
1505	- Entrance Channel Lighted Gong Buoy 5	38 46 36 N 75 03 33 W	FI G 2.5s		5	Green.	
	*						37/04
8680	POOLES ISLAND EAST RANGE FRONT LIGHT	39 16 41 N 76 16 05 W	Q W	19		KWB on skeleton tower.	
		*					37/04
8695	POOLES ISLAND NORTH RANGE FRONT LIGHT	39 18 31 N 76 13 37 W	FI W 2.5s	33		On skeleton tower on caisson.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
		*				*	37/04
8701	POOLES ISLAND NORTH RANGE REAR PASSING LIGHTS (2)		FI W 4s	46	6	On North and South corners of Pooles Island North Range Rear Light.	
	*					*	37/04
9060	- EAST RANGE REAR LIGHT 217 yards, 074° from front light.		Iso W 4s	31		On multi-pile structure.	Day: Visible on rangeline only. Night: Visible all around lighted throughout 24 hours.
	*		*			*	* 37/04
9565	- Daybeacon 6	36 54 40 N 76 19 47 W				TR on pile.	
		*					37/04
30285	- Buoy 5					Green can.	
	*					*	* 37/04
30307	- Buoy 11						Remove from list.
							* 37/04
30405	SOUTHPORT CHANNEL RANGE FRONT LIGHT	33 54 26 N 78 01 23 W	Q W	19		KRW on multi-pile structure.	Visible all around; higher intensity on rangeline.
			*			*	37/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30410 40040	SOUTHPORT CHANNEL RANGE REAR LIGHT 1,426 yards, 319.5° from front light.		Iso W 6s	42		KRW and SG-SY on multi-pile structure.	Visible all around; higher intensity on rangeline.
			*		*		37/04
30735	UPPER LILIPUT RANGE FRONT LIGHT	34 04 13 N 77 55 53 W	Q W	22		KWR on skeleton tower.	
		*					37/04
30820	LOWER BRUNSWICK RANGE FRONT LIGHT	34 09 47 N 77 57 49 W	Q W	20		KWR on square pyramidal skeleton tower.	Visible all around; higher intensity on rangeline.
		*					37/04
Cape Fear River - Little River							
40040 30410	SOUTHPORT CHANNEL RANGE REAR LIGHT 1,426 yards, 319.5° from front light		Iso W 6s	42		KRW and SG-SY on multi-pile structure.	Visible all around; higher intensity on rangeline.
	*		*	*		*	* 37/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3255	GENERAL DYNAMICS NORTH MOORING DOLPHIN LIGHT						<i>Remove from list.</i>
							* 37/04
11386	Newfound Harbor Obstruction Lighted Buoy A						<i>Remove from list.</i>
							* 37/04
11387	Newfound Harbor Obstruction Lighted Buoy B						<i>Remove from list.</i>
							* 37/04
11388	Newfound Harbor Obstruction Lighted Buoy C						<i>Remove from list.</i>
							* 37/04
11389	Newfound Harbor Obstruction Lighted Buoy D						<i>Remove from list.</i>
							* 37/04
*13886	Newfound Harbor Obstruction Lighted Buoy A	24 36 54 N 81 23 44 W	FI W 4s			White and orange banded worded DANGER CORAL, can.	Private aid.
							37/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*13887	Newfound Harbor Obstruction Lighted Buoy B		FI W 4s			White and orange banded worded DANGER CORAL, can.	Private aid. 37/04
*13888	Newfound Harbor Obstruction Lighted Buoy C		FI W 4s			White and orange banded worded DANGER CORAL, can.	Private aid. 37/04
*13889	Newfound Harbor Obstruction Lighted Buoy D		FI W 4s			White and orange banded worded DANGER CORAL, can.	Private aid. 37/04
*18038	ESTERO ISLAND TERMINAL GROIN OBSTRUCTION LIGHT	26 27 51 N 81 58 08 W	FI W 4s	12	3	NW on pile worded DANGER GROIN.	Private aid. 37/04
*23422	Davis Island Yacht Club Buoy D	27 51 49 N 82 26 47 W				Yellow can.	Private aid. 37/04
*23442	Davis Island Yacht Club Buoy G					Yellow can.	Private aid. 37/04
*23443	Davis Island Yacht Club Buoy F					Yellow can.	Private aid. 37/04
*23444	Davis Island Yacht Club Buoy C					Yellow can.	Private aid. 37/04
*23483	Davis Island Yacht Club Buoy H					Yellow can.	Private aid. 37/04
*23492	Davis Island Yacht Club Buoy A					Yellow can.	Private aid. 37/04
*44848	- Daybeacon 2					TR on pile.	Private aid. 37/04
46285	- Junction Lighted Buoy A	26 57 00 N 80 05 53 W	FI R (2+1) 6s			JR on pile.	Private aid. 37/04
	*		*			*	37/04
*54763	Shell Point Obstruction Daybeacon A					NW on pile worded DANGER SUBMERGED PILINGS.	Private aid. 37/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4825	- <i>Lighted Buoy 6</i>		FI R 2.5s		3	Red.	
	*			*			37/04
4830	- Buoy 7	30 16 26 N 87 33 27 W				Green can.	
	*	*				*	37/04
6570	- LIGHT 6	30 38 42 N 88 02 28 W	FI R 6s	17	4	TR on pile.	Ra ref.
	*	*	*	*	*		* 37/04
9300	Port Bienville Wreck Daybeacon WR						Remove from list.
							* 37/04
13571 33264	New Orleans Emergency Anchorage Lower Daybeacon 89.6	29 55 39 N 89 59 16 W				NY on pile.	Ra ref.
		*					37/04
33264 13571	New Orleans Emergency Anchorage Lower Daybeacon 89.6	29 55 39 N 89 59 16 W				NY on pile.	Ra ref.
		*					37/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28006.3	NOAA DART <i>Lighted Buoy</i>	20 30 22 N 157 54 43 W	FI Y 3s			White and red.	Private aid.
						*	37/04
29225	- Buoy 8	21 18 18 N 157 51 57 W				Red nun.	
		*					37/04
29230	- Buoy 10	21 18 32 N 157 51 55 W				Red nun.	
		*					37/04
Apra Outer Harbor							
30690	- <i>Entrance Lighted Buoy 1</i>	13 27 02 N 144 37 24 E	FI G 4s		4	Green.	
		*					37/04
30730	- <i>Lighted Buoy 3</i>	13 27 14 N 144 39 14 E	FI G 2.5s		3	Green.	
		*					37/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Cabras Island Channel							
30735	- Lighted Buoy 2	13 27 32 N 144 39 19 E	FI R 2.5s		3	Red.	
		*					37/04
30740	- Junction Lighted Buoy A	13 27 24 N 144 39 26 E	FI (2+1) G 6s		4	Green and red bands.	
							* 37/04
30750	- Lighted Buoy 5	13 27 24 N 144 39 49 E	FI G 6s		4	Green.	
		*					37/04
30870	- Channel Lighted Buoy 2	15 13 12 N 145 41 24 E	Q R		4	Red.	
		*					37/04
30895	- Channel Buoy 5	15 13 41 N 145 42 38 E				Green nun.	
		*					37/04
30900	- Channel Lighted Buoy 6	15 13 45 N 145 43 03 E	FI R 4s		4	Red.	
		*					37/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4780	- SOUTH BASIN LIGHT 2		FI R 2.5s	22 7		TR on post.	Maintained from Apr. 1 to Nov. 15. Private aid.
						*	37/04
4785	- SOUTH BASIN LIGHT 1		FI G 2.5s	22 7		TR on post.	Maintained from Apr. 1 to Nov. 15. Private aid.
						*	37/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.